

## **PACKAGE LEAFLET: INFORMATION FOR THE USER**

### **ALBUNORM OCTAPHARMA 20%**

**200 g/l, Solution for infusion**

Human albumin

#### **Read all of this leaflet carefully before you start using this medicine.**

- Keep this leaflet. You may need to read it again.
- If you have any further questions, ask your doctor or pharmacist.
- This medicine has been prescribed for you. Do not pass it on to others. It may harm them, even if their symptoms are the same as yours.
- If any of the side effects gets serious, or if you notice any side effects not listed in this leaflet, please tell your doctor or pharmacist.

#### **In this leaflet:**

1. What Alburnorm Octapharma 20% is and what it is used for
2. Before you use Alburnorm Octapharma 20%
3. How to use Alburnorm Octapharma 20%
4. Possible side effects
5. How to store Alburnorm Octapharma 20%
6. Further information

#### **1. WHAT ALBUNORM OCTAPHARMA 20% IS AND WHAT IT IS USED FOR**

Alburnorm Octapharma 20% belongs to the pharmacotherapeutic group: blood substitutes and plasma protein fractions.

The product is given to patients to restore and maintain circulating blood volume where a deficiency in volume has been demonstrated.

#### **2. BEFORE YOU USE ALBUNORM OCTAPHARMA 20%**

##### **Do not use Alburnorm Octapharma 20%**

- if you are allergic (hypersensitive) to human albumin preparations or any of the other ingredients of Alburnorm Octapharma 20%

## **Take special care with Alburnorm Octapharma 20%**

- if you are at special risk from increased blood volume e.g. in case of severe heart disorders, high blood pressure, dilated veins of the oesophagus, fluid in the lung, bleeding disorders, severely lowered red blood cell count or without urine output.
- when there are signs for increased blood volume (headache, breathing disorder, jugular vein congestion) or increased blood pressure. The infusion should be stopped immediately.
- when there are signs of an allergic reaction. The infusion should be stopped immediately.
- when it is used in patients with severe traumatic brain injury.

### Virus safety

When medicines are made from human blood or plasma, certain measures are put in place to prevent infections being passed on to patients. These include:

- careful selection of blood and plasma donors to make sure those at risk of carrying infections are excluded
- testing of each donation and pools of plasma for signs of virus/infections
- steps included by the manufacturers in the processing of the blood or plasma that can inactivate or remove viruses.

Despite these measures, when medicines prepared from human blood or plasma are administered, the possibility of passing on infection cannot be totally excluded. This also applies to any unknown or emerging viruses or other types of infections.

There are no reports of virus infections with albumin manufactured to European Pharmacopoeia specifications by established processes.

It is strongly recommended that every time you receive a dose of Alburnorm Octapharma 20% the name and batch number of the product are recorded in order to maintain a record of the batches used.

### **Using other medicines**

No interactions of human albumin with other products are known so far. However, Alburnorm Octapharma 20% solution should not be mixed in the same infusion with other drugs, whole blood or packed red cells. Please tell your doctor if you are taking or have recently taken any other medicines, including medicines obtained without a prescription.

### **Pregnancy and breast-feeding**

Human albumin is a normal constituent of human blood. No harmful effects are known when this product is used during pregnancy or breast-feeding. Particular care should be taken to adjust blood volume in pregnant women.

Ask your doctor for advice before taking any medicine.

## **Driving and using machines**

There are no indications that human albumin impairs the ability to drive or to operate machines.

## **Important information about some of the ingredients of Alburnorm Octapharma 20%**

This product contains sodium and potassium and may be harmful to people on a low sodium or potassium diet. Tell your doctor if this applies to you.

## **3. HOW TO USE ALBUNORM OCTAPHARMA 20%**

Alburnorm Octapharma 20% is ready for use as an infusion (“drip”) into a vein. The dosage and infusion rate (how quickly you are given albumin into a vein) will depend on your particular condition. Your doctor will decide what treatment is best for you.

### Instructions

- The product should be brought to room or body temperature before use.
- The solution should be clear and should not have a deposit.
- Any unused solution should be discarded.
- If you have any further questions on the use of this product, ask your doctor or pharmacist.

## **If you use more Alburnorm Octapharma 20% than you should**

If the dosage and rate of infusion are too high, you may develop headache, high blood pressure and discomfort breathing. The infusion should be stopped immediately and your doctor will decide if any other treatment is necessary.

## **4. POSSIBLE SIDE EFFECTS**

Like all medicines, Alburnorm Octapharma 20% can cause side effects, although not everybody gets them.

Side effects after infusion of human albumin are rare and they normally disappear when the infusion-rate is slowed down or stopped.

Rare: affects 1 to 10 users in 10,000:

Flush, urticaria, fever and nausea.

Very rare: affects less than 1 user in 10,000:

Shock due to hypersensitivity reaction.

Frequency not known: cannot be estimated from the available data:

Confusional state; headache; increased or decreased heart rate; high blood pressure; heat sensation; shortage of breath; nausea; nettle rash; swelling around eyes, nose, mouth; rash; increased sweating; fever; chills.

If any of the side effects gets serious, or if you notice any side effects not listed in this leaflet, please tell your doctor or pharmacist.

## **5. HOW TO STORE ALBUNORM OCTAPHARMA 20%**

Keep out of the reach and sight of children.

Do not use Alburnorm Octapharma 20% after expiry date which is stated on the label and the carton. The expiry date refers to the last day of that month.

Do not store above 25°C. Store in the original package in order to protect from light. Do not freeze.

Once the infusion container has been opened, the content should be used immediately.

The solution should be clear or slightly opalescent. Do not use solutions which are cloudy or have deposits.

Medicines should not be disposed of via wastewater or household waste. Ask your pharmacist how to dispose of medicines no longer required. These measures will help to protect the environment.

## **6. FURTHER INFORMATION**

### **What Alburnorm Octapharma 20% contains**

- The active substance is 200 g/l human albumin derived from human plasma (bottle of 50, 100 ml).
- The other ingredients are sodium, potassium, N-Acetyl-DL-tryptophan, caprylic acid and water for injections.

### **What Alburnorm Octapharma 20% looks like and contents of the pack:**

Alburnorm Octapharma 20% is a solution for infusion in a bottle (50 ml - pack size of 1 and 10)

Alburnorm Octapharma 20% is a solution for infusion in a bottle (100 ml - pack size of 1 and 10)

The solution is clear, yellow, amber or green.

Not all pack sizes may be marketed in all countries.

**Marketing Authorisation Holder:**

OCTAPHARMA Pharmazeutika Produktionsges.m.b.H.  
Oberlaaer Strasse 235  
A-1100 Vienna  
AUSTRIA

**Manufacturer:**

Octapharma Pharmazeutika, Produktionsges.m.b.H., Oberlaaerstrasse 235, A-1100 Vienna,  
Austria